

We Need to Talk
About The

Front Web

Web

Standards

Universal
Future-friendly
Robust

Content/Style

Separation

Resilient

Scalable

Reusable

Semantics

Retrievable
Understandable
Accessible

URL: <http://weboffice-old.web.cern.ch/WebOffice-01d/www0/Welcome.html>

Hypertext and WWW information

Sorry, the **hypertext** and **WWW** information is no longer available on the info.cern.ch site. The physical machine no longer exists. Please refer to one of the new sites described below.

You are now looking at a page of the [CERN](#) site.

We still have information on [HTML tools and conversion software](#).

For other information you can try the [World-Wide Web Consortium](#) site or the [WWW Virtual Library](#).


About the World Wide Web

The Web originated with [Tim Berners-Lee](#) at CERN, the [European Laboratory for Particle Physics](#), in 1990.

Web Consortium

The development of the Web technology is currently driven by the [World-Wide Web Consortium](#), W3C, , which is hosted by [MIT/LCS](#) in the US, [INRIA](#) in Europe, and [Keio](#) University in Japan.

hspace align



bgcolor

table> text

background





<div>

<div>

<div>

<div>

<div>

HTML



border-teal-darkest

md:w-32

flex
bg-violet-800



md:w-32
flex
box-border
mr-1
bg-violet-800
p-0
w-16
mb-0
top-auto
border-teal-darkest
mr-1
border-teal
origin-top-left

top-auto

-left

border-teal
border

radius-s


```
<div class="ch bg dx dy dz ea">
  <h1 id="2255" class="mt mu ev be mv mw mx fv my mz na fy nb nc nd ne nf ng nh ni nj nk
  nl nm nn no bj" data-selectable-paragraph="">Optimising web fonts</h1>
  <p id="cdd7" class="pw-post-body-paragraph kz la ev lb b ft np ld le fw nq lg lh li nr
  lk ll lm ns lo lp lq nt ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <p id="1425" class="pw-post-body-paragraph kz la ev lb b ft lc ld le fw lf lg lh li lj
  lk ll lm ln lo lp lq lr ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <h2 id="2fa6" class="ot mu ev be mv ou ov ow my ox oy oz nb li pa pb pc lm pd pe pf lq
  pg ph pi pj bj" data-selectable-paragraph="">Choosing the right format</h2>
  <p id="531a" class="pw-post-body-paragraph kz la ev lb b ft np ld le fw nq lg lh li nr
  lk ll lm ns lo lp lq nt ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <p id="5430" class="pw-post-body-paragraph kz la ev lb b ft lc ld le fw lf lg lh li lj
  lk ll lm ln lo lp lq lr ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <p id="cfe0" class="pw-post-body-paragraph kz la ev lb b ft lc ld le fw lf lg lh li lj
  lk ll lm ln lo lp lq lr ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <h2 id="9ea8" class="ot mu ev be mv ou ov ow my ox oy oz nb li pa pb pc lm pd pe pf lq
  pg ph pi pj bj" data-selectable-paragraph="">Audit font selection</h2>
  <p id="7485" class="pw-post-body-paragraph kz la ev lb b ft np ld le fw nq lg lh li nr
  lk ll lm ns lo lp lq nt ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <p id="9555" class="pw-post-body-paragraph kz la ev lb b ft lc ld le fw lf lg lh li lj
  lk ll lm ln lo lp lq lr ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <h2 id="f39f" class="ot mu ev be mv ou ov ow my ox oy oz nb li pa pb pc lm pd pe pf lq
  pg ph pi pj bj" data-selectable-paragraph="">Use Unicode-range subsetting</h2>
  <p id="aff7" class="pw-post-body-paragraph kz la ev lb b ft np ld le fw nq lg lh li nr
  lk ll lm ns lo lp lq nt ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <p id="6c78" class="pw-post-body-paragraph kz la ev lb b ft lc ld le fw lf lg lh li lj
  lk ll lm ln lo lp lq lr ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <h2 id="5b61" class="ot mu ev be mv ou ov ow my ox oy oz nb li pa pb pc lm pd pe pf lq
  pg ph pi pj bj" data-selectable-paragraph="">Establish a font loading strategy</h2>
  <p id="47df" class="pw-post-body-paragraph kz la ev lb b ft np ld le fw nq lg lh li nr
  lk ll lm ns lo lp lq nt ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <p id="4354" class="pw-post-body-paragraph kz la ev lb b ft lc ld le fw lf lg lh li lj
  lk ll lm ln lo lp lq lr ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <p id="6354" class="pw-post-body-paragraph kz la ev lb b ft lc ld le fw lf lg lh li lj
  lk ll lm ln lo lp lq lr ls lt lu eo bj" data-selectable-paragraph="">...</p>
  <figure class="ob oc od oe of og nv nz paragraph-image">...</figure>
```

```
Filter Styles
:hov .cls +
element :: { inline
}
.mo :: { inline:1
padding-bottom: 10px;
}
.mn :: { inline:1
padding-top: 24px;
}
.mm :: { inline:1
margin-bottom: 14px;
}
.ml :: { inline:1
margin-top: 32px;
}
.ca :: { inline:1
justify-content: center;
}
.ab :: { inline:1
display: flex;
}
*, ::before, ::after :: { inline:1
box-sizing: inherit;
}
Inherited from div
.b :: { inline:1
font-weight: 400;
}
.a :: { inline:1
font-family: medium-content-sans-serif-font, -apple-
system, BlinkMacSystemFont, "Segoe UI", Roboto,
Oxygen, Ubuntu, Cantarell, "Open Sans", "Helvetica
Neue", sans-serif;
}
```



HTML






Henrique Medina



Ivan Albright





“... we have created more
problems with our tools than
we've solved”

Oxford Harrison

Rethinking the Modern Web

<https://dev.to/oxharris/rethinking-the-modern-web-5cn1>

What is the

problem?



We **don't get**

the nature of the web



HTML demands
semantics
consideration





CSS demands

graphical awareness

and attention to details

Front developers
are not
the cool kids
of engineering





Fullstack

JS EVERYTHING!

Great UX requires great
front development




DAMN!...

Proper

Training

End

fullstack



Promote exchanges and
collaborative work
between developers and
designers

“You Can Kiss
Your Web Browser
Goodbye”

— WIRED, 1st March 1997



Thanks!

Angela “Ge” Ricci

<https://gericci.me/>

@gericci@indieweb.social